

Adult Tobacco Survey 2

Winter 2001-02 Survey Results

Pierce County

First, I have some questions about your health. Would you say that in general your health is. . .

n = 837

Excellent	23.7%	(± 3.1%)
Very good	38.2	(± 3.7)
Good	27.6	(± 3.5)
Fair	7.7	(± 2.1)
Or poor	2.8	(± 1.2)

During the past 3 months, on how many days did you stay in bed for more than half the day because of illness or injury?

n = 831

None	77.1%	(± 3.2%)
One day	6.8	(± 1.9)
More than one day	16.1	(± 2.8)

About how long has it been since you last visited a DOCTOR for a routine checkup?

n = 829

Within the past year (1-12 months ago)	80.7%	(± 3.0%)
Within the past two years (1-2 years ago)	11.3	(± 2.4)
More than two years ago	7.8	(± 2.1)
Never	0.2	(± 0.3)

About how long has it been since you last visited a DENTIST for a routine checkup?

n = 824

Within the past year (1-12 months ago)	75.6%	(± 3.3%)
Within the past two years (1-2 years ago)	10.8	(± 2.4)
More than two years ago	13.2	(± 2.6)
Never	0.3	(± 0.4)

Next are a few questions about your health care coverage. Do you have any kind of health care coverage, including health insurance, prepaid plans such as an HMO, or government plans such as Medicare?

n = 833

Yes	88.9%	(± 2.4%)
No	11.1	(± 2.4)

* Estimates based on sample sizes less than 75 omitted

Among those with health care coverage:

What type of health coverage do you use to pay for most of your medical care? Is it coverage through. . .

n = 734

Your employer	46.5%	(± 4.0%)
Someone else's employer	14.4	(± 2.9)
A plan that you or someone buys on your own	9.3	(± 2.2)
Medicare	15.9	(± 3.1)
Medicaid or Medical Assistance	4.3	(± 1.7)
Other	9.6	(± 2.6)

Are you currently. . .

n = 838

Employed for wages	50.8%	(± 3.8%)
Self-employed	7.5	(± 1.9)
Out of work	6.9	(± 2.0)
Homemaker	7.6	(± 1.9)
Student	5.4	(± 1.9)
Retired	19.6	(± 3.1)
Or unable to work	2.2	(± 1.1)

Now, I would like to ask you some questions about your personal history of tobacco use. Have you, even once in your life, smoked a cigarette?

n = 838

Yes	75.7%	(± 3.2%)
No	24.3	(± 3.2)

Among those who ever smoked a cigarette:

How old were you when you first tried smoking cigarettes?

n = 610

average: 15.7 (± 0.4)

Have you smoked at least 100 cigarettes in your entire life? NOTE: 5 packs=100 cigarettes

n = 835

Yes	47.0%	(± 3.8%)
No	53.0	(± 3.8)

Among those who ever smoked 100 cigarettes and smoked regularly:

How old were you when you first started smoking cigarettes fairly regularly?

n = 353

average: 18.7 (± 0.6)

Among those who ever smoked 100 cigarettes:

Do you now smoke cigarettes every day, some days or not at all?

n = 376

Every day	34.3%	(± 5.6%)
Some days	7.7	(± 2.9)
Not at all	58.1	(± 5.7)

Among every day and some day smokers:

On average, about how many cigarettes per day do you smoke? NOTE: 1 PACK = 20 CIGARETTES

n = 145

15.8% (± 2.0%)

* Estimates based on sample sizes less than 75 omitted

Current cigarette smoking prevalence:	n = 834
(every day or some day smokers among the whole population)	19.7% (± 3.2%)

Among every day and some day smokers:

What brand of cigarette do you smoke most often?	n = 147
Camel	8.5% (± 4.7%)
Marlboro	38.8 (± 9.1)
Other	52.7 (± 9.3)

Among every day and some day smokers:

Is this brand menthol?	n = 142
Yes	37.1% (± 9.4%)
No	62.9 (± 9.4)

Among every day and some day smokers:

Are you currently smoking a brand with lower levels of nicotine or tar?	n = 142
Yes	52.6% (± 9.5%)
No	47.4 (± 9.5)

This next question asks about smokeless tobacco. Have you ever tried using smokeless tobacco, like chew, dip or snuff? IF NEEDED: Such as Copenhagen, Kodiak, Redman or Beechnut

	n = 838
Yes	21.0% (± 3.2%)
No	79.0% (± 3.2%)

Among those who ever used smokeless tobacco:

On how many of the past 30 days did you use smokeless tobacco products?	n = 159
Zero	88.8% (± 6.1%)
Less than 30	2.0 (± 2.3)
30 days	9.2 (± 5.7)

Current smokeless tobacco prevalence:

	n = 838
(any use in the past 30 days among the whole population)	2.4% (± 1.3%)

What about cigar smoking, including large cigars, cigarillos, and little cigars. How many cigars have you smoked in your life?

	n = 828
None	63.8% (± 3.7%)
One	6.8 (± 2.0)
2-5	11.1 (± 2.5)
6-20	8.6 (± 2.2)
More than 20	9.7 (± 2.3)

Among those who ever smoked a cigar:

On how many of the past 30 days did you smoke a cigar, even just a puff?	n = 291
Zero	87.3% (± 4.5%)
Less than 30	12.3 (± 4.4)
30 days	0.4 (± 0.9)

* Estimates based on sample sizes less than 75 omitted

Current cigar smoking prevalence:	n = 838
(any use in the past 30 days among the whole population)	4.7% (± 1.7%)

Have you ever tried smoking tobacco in a pipe?	n = 837
Yes	19.2% (± 3.1%)
No	80.8 (± 3.1)

Among those who ever smoked a pipe:

On how many of the past 30 days did you smoke tobacco in a pipe?	n = 150
Zero	96.8% (± 3.7%)
Less than 30	3.2 (± 3.7)
30 days	0.0 (± 0.0)

Current pipe smoking prevalence:	n = 838
(any use in the past 30 days among the whole population)	0.6% (± 0.7%)

Have you ever tried smoking bidis (BEEDIES)?	n = 836
Yes	6.5% (± 2.0%)
No	93.5 (± 2.0)

Current bidi smoking prevalence:	n = 838
(any use in the past 30 days among the whole population)	0.3% (± 0.4%)

Have you ever tried smoking clove cigarettes?	n = 837
Yes	13.8% (± 2.7%)
No	86.2 (± 2.7)

Among those who ever smoked cloves:

On how many of the past 30 days did you use clove cigarettes?	n = 107
Zero	93.7% (± 6.9%)
Less than 30	3.5 (± 4.5)
30 days	2.8 (± 5.4)

Current clove cigarette smoking prevalence:	n = 838
(any use in the past 30 days among the whole population)	0.9% (± 1.0%)

Current tobacco use prevalence:	n = 838
(Currently smokes cigarettes, cigars, pipes, bidis, or cloves OR uses smokeless tobacco among the whole population)	23.2% (± 3.4%)

Among former tobacco users:

About how long has it been since you last used tobacco, that is, daily?	n = 227
Within the past year (0-12 months ago)	17.1% (± 5.9%)
Within the past 5 years (1-5 years ago)	17.5 (± 5.5)
Within the past 15 years (5-15 years ago)	19.2 (± 5.6)
Or 15 or more years ago	45.3 (± 7.2)
Never used regularly	0.9 (± 1.0)

* Estimates based on sample sizes less than 75 omitted

Among current tobacco users:

**About how much do you usually spend on tobacco products every week? IF
NEEDED: On average, in a typical week**

n = 171

Less than \$5	20.2%	(± 6.4%)
\$5-9	8.8	(± 4.6)
\$10-14	17.2	(± 6.3)
\$15-24	23.8	(± 7.4)
\$25-34	12.6	(± 5.1)
\$35-44	8.3	(± 5.6)
\$45 or more	9.0	(± 5.8)

Among current tobacco users:

In the past month, did you buy tobacco on a Native American reservation?

n = 172

Yes	30.2%	(± 8.1%)
No	69.8	(± 8.1)

Among current and former tobacco users:

These next questions ask about things that might make a person want to quit using tobacco. Do you agree or disagree with the following statement: People close to me were/are upset by my using tobacco. Do you. . .

n = 381

Strongly agree	38.8%	(± 5.4%)
Somewhat agree	23.4	(± 5.0)
Somewhat disagree	18.7	(± 4.5)
Or strongly disagree	19.1	(± 4.4)

Among current and former tobacco users:

Have any of your family or friends ever asked or advised you to quit using tobacco?

n = 390

Yes	69.9%	(± 4.9%)
No	30.1	(± 4.9)

Among current and former tobacco users who were ever advised to quit by family or friends:

When was the last time a family member or friend advised you to quit?

n = 260

Within the past year (1-12 months)	50.0%	(± 7.0%)
Within the past three years (1-3 years)	9.8	(± 4.1)
Or 3 or more years ago	40.3	(± 6.7)

Among current and former tobacco users:

Have any of the following health care professionals ever advised you to quit using tobacco. . . A doctor?

n = 389

Yes	52.3%	(± 5.6%)
No	47.7	(± 5.6)

* Estimates based on sample sizes less than 75 omitted

Among current and former tobacco users:

Have any of the following health care professionals ever advised you to quit using tobacco. . . A dentist?

n = 386

Yes	20.2%	(± 4.6%)
No	79.8	(± 4.6)

Among current and former tobacco users:

Have any of the following health care professionals ever advised you to quit using tobacco. . . A nurse?

n = 385

Yes	21.8%	(± 4.8%)
No	78.2	(± 4.8)

Among current and former tobacco users:

Have any of the following health care professionals ever advised you to quit using tobacco. . . Another health care provider?

n = 384

Yes	11.3%	(± 3.6%)
No	88.7	(± 3.6)

Among current and former tobacco users who were advised by a health care professional:

When was the last time a health care professional of any kind advised you to quit using tobacco?

n = 218

Within the past year (1-12 months)	44.2%	(± 7.6%)
Within the past three years (1-3 years)	14.8	(± 5.7)
Or 3 or more years ago	40.6	(± 7.3)
Never advised to quit by a health care professional	0.5	(± 0.9)

Among current and former tobacco users who were advised by a health care professional:

Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?

n = 219

Yes	41.3%	(± 7.5%)
No	58.7	(± 7.5)

Among current and former tobacco users:

How many times in your life have you seriously tried to quit using tobacco?

n = 380

0	14.2%	(± 3.8%)
1-2	49.6	(± 5.7)
3-5	24.3	(± 5.0)
6 or more	12.0	(± 3.8)

Among current tobacco users:

During the past year, did you not use tobacco for one day or longer because you were trying to quit?

n = 173

Yes	55.5%	(± 8.4%)
No	44.5	(± 8.4)

* Estimates based on sample sizes less than 75 omitted

Among current and former (quit within in past year) tobacco users who are employed:

Within the past year, has your employer offered any stop-smoking programs or other programs to help employees who want to quit using tobacco?

n = 106

Yes	19.9%	(± 8.2%)
No	80.1	(± 8.2)

Among current and former (quit within in past year) tobacco users with health insurance:

Does your health care insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills or other medications?

n = 174

Yes	32.7%	(± 8.3%)
No	37.0	(± 8.1)
Don't know/Not sure	30.3	(± 7.9)

Among current and former (quit within in past year) tobacco users:

Have you heard about the Washington State "Quit-Line - a telephone support service to help people quit using tobacco?

n = 205

Yes	26.0%	(± 6.9%)
No	74.0	(± 6.9)

Among current tobacco users:

Would you like to quit using tobacco?

n = 157

Yes	69.1%	(± 7.9%)
No	30.9	(± 7.9)

Among current tobacco users who would like to quit:

Are you seriously considering quitting tobacco use within the next 6 months?

n = 95

Yes	93.7%	(± 4.9%)
No	6.3	(± 4.9)

Among current tobacco users who would like to quit in the next 6 months:

Are you planning to stop within the next 30 days?

n = 79

Yes	69.6%	(± 11.3%)
No	30.4	(± 11.3)

Among current tobacco users:

Readiness to quit, from the "Stages of Change" model

n = 137

Precontemplative	40.5%	(± 9.1%)
Contemplative	18.1	(± 7.1)
Preparation	41.4	(± 9.6)

Next I have some questions about you. Remember that your responses are confidential. What is your age?

n = 838

18-29	23.8%	(± 3.4%)
30-49	38.0	(± 3.6)
50+	38.2	(± 3.7)

* Estimates based on sample sizes less than 75 omitted

I'm going to ask about your race and ethnicity. You can have more than one answer.

Are you. . . White?

n = 836

Yes	86.7%	(± 2.8%)
No	13.3	(± 2.8)

I'm going to ask about your race and ethnicity. You can have more than one answer.

Are you. . . Black?

n = 833

Yes	5.1%	(± 1.6%)
No	94.9	(± 1.6)

I'm going to ask about your race and ethnicity. You can have more than one answer.

Are you. . . Asian or Pacific Islander?

n = 835

Yes	4.7%	(± 1.7%)
No	95.3	(± 1.7)

I'm going to ask about your race and ethnicity. You can have more than one answer.

Are you. . . American Indian or Alaska Native?

n = 834

Yes	8.2%	(± 2.1%)
No	91.8	(± 2.1)

I'm going to ask about your race and ethnicity. You can have more than one answer.

Are you. . . Hispanic or Latino?

n = 835

Yes	5.4%	(± 2.1%)
No	94.6	(± 2.1)

Are you. . .

n = 836

Married	60.0%	(± 3.7%)
Divorced	12.7	(± 2.4)
Widowed	4.8	(± 1.4)
Separated	2.2	(± 1.0)
Never been married	17.2	(± 3.0)
Or a member of unmarried couple	3.1	(± 1.5)

How many children under the age of 18 live in your household?

n = 838

None	59.2%	(± 3.8%)
1	16.3	(± 2.9)
2	13.3	(± 2.5)
3 or more	11.2	(± 2.5)

What is the highest grade or year of school you completed?

n = 832

Some high school or less	6.7%	(± 2.1%)
Grade 12 (high school graduate or GED)	29.7	(± 3.6)
College 1-3 years (some college, technical school, community college AA)	37.8	(± 3.7)
College graduate (4 years) or beyond college	25.9	(± 3.2)

* Estimates based on sample sizes less than 75 omitted

Annual household income from all sources... IF NEEDED: Annual household income before taxes.

n = 725

\$20,000 or less	23.1%	(± 3.5%)
\$20,000 to less than \$50,000	39.9	(± 4.0)
\$75,000 or more	36.9	(± 3.9)

Gender

n = 838

Male	45.6%	(± 3.8%)
Female	54.4	(± 3.8)

How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?

n = 837

0	70.2%	(± 3.6%)
1	17.6	(± 2.9)
2	9.3	(± 2.5)
3 or more	2.8	(± 1.6)

On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?

n = 834

0 days	85.4%	(± 2.6%)
1-29 days	7.2	(± 1.9)
30 days	7.5	(± 2.0)

If it were just up to you, would you let people smoke inside your home?

n = 834

Yes	11.3%	(± 2.3%)
No	88.7	(± 2.3)

Among those who are employed for wages (excluding self-employed):

How many people are employed where you work? IF NEEDED: Facilities that share your same street address

n = 422

Less than 5	10.1%	(± 3.2%)
Between 5 and 9	5.5	(± 2.3)
Between 10 and 19	9.3	(± 3.1)
Between 20 and 99	24.6	(± 4.7)
Or 100 or more	50.5	(± 5.4)

Among those who are employed for wages (excluding self-employed):

When you are at work, do you spend most of your time in an. . .

n = 435

Office	45.0%	(± 5.2%)
Store	6.4	(± 2.6)
Restaurant	2.9	(± 1.8)
Warehouse or factory	7.4	(± 2.7)
Home	3.7	(± 2.0)
Outdoors	11.2	(± 3.4)
Car or truck	6.3	(± 2.6)
Classroom/school	5.4	(± 2.3)
Hospital	4.2	(± 2.6)
Or somewhere else (SPECIFY:)	7.5	(± 3.0)

* Estimates based on sample sizes less than 75 omitted

Among those who are employed for wages (excluding self-employed):

The next questions are about secondhand smoke in your work place. Does your workplace have official rules that restrict smoking in any way?

n = 431

Yes	85.9%	(± 3.6%)
No	14.1	(± 3.6)

Among those who are employed for wages (excluding self-employed):

Is smoking allowed in any of the following areas at your workplace. . . Some or all indoor work areas?

n = 435

Yes	10.5%	(± 3.6%)
No	89.5	(± 3.6)

Among those who are employed for wages (excluding self-employed):

Is smoking allowed in any of the following areas at your workplace. . . Employee lunchrooms or lounges?

n = 436

Yes	5.0%	(± 2.4%)
No	95.0	(± 2.4)

Among those who are employed for wages (excluding self-employed):

Is smoking allowed in any of the following areas at your workplace. . . A designated indoor smoking area?

n = 432

Yes	7.0%	(± 2.7%)
No	93.0	(± 2.7)

Among those who are employed for wages (excluding self-employed):

In a typical week, how many hours would you say that you are in a room or car with secondhand smoke while you are working?

n = 418

Less than one hour	90.2%	(± 3.2%)
1-10 hours	4.8	(± 2.2)
More than 10 hours	5.0	(± 2.3)

The next questions are about secondhand smoke. Secondhand smoke is smoke from someone else's cigarette, cigar or pipe. In general, would you say that breathing secondhand smoke is. . .

n = 829

Not at all annoying to you	9.5%	(± 2.2%)
A little bit annoying to you	8.7	(± 2.3)
Somewhat annoying to you	21.1	(± 3.1)
Or very annoying to you	60.7	(± 3.8)

Would you say that breathing secondhand smoke is. . .

n = 810

Not at all harmful	70.8%	(± 3.6%)
A little bit harmful	23.0	(± 3.4)
Somewhat harmful	3.8	(± 1.4)
Or very harmful	2.4	(± 1.1)

* Estimates based on sample sizes less than 75 omitted

Do you agree or disagree with the following statement: All people should be protected from secondhand smoke. Do you. . .

n = 804

Strongly agree	61.7%	(± 3.8%)
Somewhat agree	25.3	(± 3.4)
Somewhat disagree	8.1	(± 2.1)
Or strongly disagree	4.9	(± 1.9)

What about this statement: ALL CHILDREN should be protected from secondhand smoke. Do you. . .

n = 821

Strongly agree	86.8%	(± 2.5%)
Somewhat agree	9.1	(± 2.1)
Somewhat disagree	2.7	(± 1.3)
Or strongly disagree	1.5	(± 0.8)

Do you think that smoking should be completely banned in restaurants?

n = 835

Yes	73.3%	(± 3.4%)
No	24.5	(± 3.3)
Don't know/Not sure	2.3	(± 1.0)

If there were a total ban on smoking in restaurants, do you think you would eat out more often, less often, or would it make no difference?

n = 827

More often	19.7%	(± 3.0%)
Less often	5.9	(± 1.8)
Make no difference	74.3	(± 3.3)

Do you think that smoking should be completely banned in bars and lounges?

n = 833

Yes	25.3%	(± 3.3%)
No	59.4	(± 3.7)
Don't know/Not sure	15.3	(± 2.8)

If there were a total ban on smoking in bars, do you think you would go out more often, less often, or would it make no difference?

n = 796

More often	13.6%	(± 2.5%)
Less often	9.0	(± 2.3)
Makes no difference	77.4	(± 3.2)

The next questions ask for your opinion about things that happen in your community. Do you agree or disagree with this statement: Laws banning possession of tobacco products by minors (children under 18) have been enforced.

Do you. . .

n = 834

Strongly agree	26.3%	(± 3.5%)
Somewhat agree	27.5	(± 3.4)
Somewhat disagree	17.1	(± 2.8)
Or strongly disagree	17.8	(± 2.9)
Don't know/Not sure	11.3	(± 2.3)

* Estimates based on sample sizes less than 75 omitted

Generally speaking, how often do you see young people -- those under age 18 smoking in your community? Would you say. . .

n = 803

Daily or almost daily	50.5%	(± 3.9%)
Couple of times per week	24.3	(± 3.5)
2-4 times per month	8.5	(± 2.1)
Once a month or less	9.4	(± 2.1)
Or never	7.3	(± 2.0)

During the past year, did you, yourself, ever buy or give someone under the age of 18 tobacco products?

n = 833

Yes	3.0%	(± 1.4%)
No	97.0	(± 1.4)

Here is another statement: The city or town where I live has enough rules and laws to protect nonsmokers, including children, from secondhand smoke. Do you. . .

n = 835

Strongly agree	21.9%	(± 3.2%)
Somewhat agree	30.4	(± 3.5)
Somewhat disagree	17.5	(± 2.9)
Or strongly disagree	17.2	(± 2.9)
Don't know/Not sure	13.1	(± 2.5)

Have you seen or heard about any efforts or activities in your community or in schools to help reduce tobacco use among youth? IF NEEDED: This could include as part of your job

n = 835

Yes	51.8%	(± 3.8%)
No	41.9	(± 3.8)
Don't know/Not sure	6.3	(± 2.1)

Among those who have seen or heard of activities:

Have you participated in any efforts or activities in your community or in schools to help reduce tobacco use among youth? IF NEEDED: This could include as part of your job.

n = 431

Yes	20.2%	(± 4.2%)
No	79.8	(± 4.2)

Among those who have seen or heard of activities:

Some communities have organizations that specifically work on tobacco prevention activities. To your knowledge, has there been a local anti-tobacco or anti-smoking organization working in your community over the past few years?

n = 433

Yes	29.9%	(± 4.8%)
No	40.9	(± 5.1)
Don't know/Not sure	29.2	(± 4.7)

* Estimates based on sample sizes less than 75 omitted

The next questions ask for your opinion on some statements about the harm from tobacco use. Please tell me if you agree with this statement: A pregnant woman could hurt her baby if she smokes. Do you. . .

n = 818

Strongly agree	87.2%	(± 2.6%)
Somewhat agree	10.3	(± 2.5)
Somewhat disagree	1.6	(± 0.8)
Or strongly disagree	0.8	(± 0.6)

Here is another statement: It is safe to smoke for a year or two, as long as you quit after that. Do you. . .

n = 834

Strongly agree	4.8%	(± 1.6%)
Somewhat agree	9.6	(± 2.2)
Somewhat disagree	15.2	(± 2.7)
Or strongly disagree	66.2	(± 3.6)
Don't know/Not sure	4.3	(± 1.4)

There are so many things that cause cancer, tobacco use is not going to make any difference. Do you. . .

n = 826

Strongly agree	8.0%	(± 2.3%)
Somewhat agree	7.9	(± 2.3)
Somewhat disagree	9.7	(± 2.2)
Or strongly disagree	74.4	(± 3.4)

Some organizations are conducting campaigns to convince youth not to start using tobacco, and motivate adults to quit. During the past 30 days, how often have you seen commercials on TV about the dangers of tobacco use or about not smoking?

n = 835

Every day	29.5%	(± 3.4%)
Couple times per week	26.2	(± 3.4)
Once per week	7.3	(± 1.9)
Couple times per month	9.9	(± 2.2)
Maybe once	4.3	(± 1.5)
Never	16.9	(± 2.9)
Don't know/Not sure	5.8	(± 1.9)

Among current tobacco users who saw anti-tobacco TV ads:

Did the ad change your thinking about tobacco use to make you more in favor of quitting tobacco use, less in favor of quitting tobacco use, or did your thinking about tobacco use stay the same?

n = 141

More in favor	36.7%	(± 9.0%)
Less in favor	12.3	(± 6.5)
Stayed the same	51.0	(± 9.4)

* Estimates based on sample sizes less than 75 omitted

During the past 30 days, how often have you seen advertisements about the dangers of tobacco use or about not smoking on billboards, posters, or buses?

n = 834

Every day	16.2%	(± 2.7%)
Couple times per week	19.3	(± 3.1)
Once per week	7.2	(± 1.9)
Couple times per month	11.4	(± 2.4)
Maybe once	9.8	(± 2.2)
Never	28.0	(± 3.4)
Don't know/Not sure	8.1	(± 2.3)

Among those who have children and have seen anti-tobacco commercials:

Have you talked to your child about any of the anti-tobacco commercials or advertisements you have seen?

n = 250

Yes	60.1%	(± 7.0%)
No	39.9	(± 7.0)

Some tobacco companies make promotional items like clothing, hats, bags or other things with their brand on it. Would you ever use or wear something that has a tobacco company logo or picture on it?

n = 820

Yes	18.5%	(± 3.0%)
No	81.5	(± 3.0)

During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?

n = 827

Yes	19.2%	(± 3.2%)
No	80.8	(± 3.2)

How do you feel about this statement: Tobacco companies should have the same rights to advertise their products as other companies. Do you. . .

n = 815

Strongly agree	19.2%	(± 3.0%)
Somewhat agree	28.0	(± 3.5)
Somewhat disagree	19.4	(± 3.1)
Or strongly disagree	33.4	(± 3.6)

Among those with children ages 10-17 years old:

Have you told your child specifically that you do not want him or her to use tobacco?

n = 180

Yes	92.7%	(± 5.4%)
No	7.3	(± 5.4)

* Estimates based on sample sizes less than 75 omitted